



performance proven **VACUUM SOLUTIONS™**

## Need A Budget Vac With A Real Appetite?



## **Introducing the Vector All Vac™**

In virtually any wet or dry application, All Vacs suck up rock, wood chips and shavings, sand, gravel, leaves, compost, mud, sludge, glass and debris. The possibilities are endless. Vacuum instead of shoveling, and fill a 5 cubic foot wheelbarrow in less than 3 minutes! Two people and an All Vac can do jobs better and faster than jobs normally requiring 5 or 6 people the old fashioned way!

**The new All Vac II with even more power is now available.**

## Toll Free 1(800) 832-4010

Vector Technologies Ltd./ Vacuum Engineering Division/ 6820 N. 43<sup>rd</sup> Street/ Milwaukee WI USA 53209

Toll Free: 1 800 832 4010/ Tel: 1 414 247 7100/ Fax: 1 414 247 7110  
Web Site: [www.vector-vacuums.com/](http://www.vector-vacuums.com/) E-Mail: [sales@vector-vacuums.com](mailto:sales@vector-vacuums.com)

Vacuums · Hydro Blast Systems · Dust Collectors · Vacuum Excavation Systems · Blast and Recovery Systems · Spill Response Systems  
Equipment · Parts · Rentals · Service · Solutions



performance proven **VACUUM SOLUTIONS™**

## Finally a budget vacuum with enough power to tackle rocks and debris!



The number of wet and dry applications for the All Vac is endless. With the suction power to move rock at distances over 100 feet and the blower protection to handle the dirtiest product, the All Vac meets the challenge of most applications head on.

### **All Vac Features--**

1. Trailer with Torsion Axle Suspension, fenders and taillights. Weighs only 1,500#. Length: 165", Width: 74", Height: 96". Skid mounted models with forklift pockets and lifting eyes are optionally available. Can be moved with an ATV or lawn tractor.
2. Honda 24HP gas engine with industrial grade muffler for less than 90 db noise level.
3. Positive displacement blower with 850 CFM airflow and 200" W.G. (15" Hg) for long distance (100+ feet) vacuuming. Dual 5" inlets, on either tank side, reducible to 3" or 4".
4. Impact-resistant steel holding tank holds 5 cubic feet of material, a perfect amount for a wheelbarrow; no more, no less. Easy emptying into a wheelbarrow, trailer or skid loader.
5. Cartridge filtration for blower protection.
6. An optional "Leaf Barrel" is available that holds about 10 cubic feet for more storage, light fluffy products or products that tend to bridge in a cone.
7. Available options include vacuum hose and various "application-oriented" nozzles.

## Toll Free 1(800) 832-4010

Specifications subject to change without notice so that improvements are quickly made.

Vector Technologies Ltd./ Vacuum Engineering Division/ 6820 N. 43<sup>rd</sup> Street/ Milwaukee WI USA 53209

Toll Free: 1 800 832 4010/ Tel: 1 414 247 7100/ Fax: 1 414 247 7110  
Web Site: [www.vector-vacuums.com/](http://www.vector-vacuums.com/) E-Mail: [sales@vector-vacuums.com](mailto:sales@vector-vacuums.com)



performance proven **VACUUM SOLUTIONS™**

**Introducing the All Vac II with even more power--  
Finally a budget vacuum with enough power to tackle  
rocks and debris!**



The number of wet and dry applications for the All Vac is endless. With the suction power to move rock at distances over 400 feet and the blower protection to handle the dirtiest product, the All Vac meets the challenge of most applications head on.

**All Vac II Features--**

1. Trailer with Torsion Axle Suspension, fenders and taillights. Weighs only 1,700#. Length: 170", Width: 80", Height: 106". Skid mounted models with forklift pockets and lifting eyes are optionally available. Can be moved with an ATV or lawn tractor.
2. 34 HP Cat diesel engine or 34 HP Briggs and Stratton gas engine with industrial grade muffler for less than 95 db noise level.
3. Positive displacement blower with 850 CFM airflow and 200" W.G. (15" Hg) for long distance (100+ feet) vacuuming. Dual 5" inlets, on either tank side, reducible to 3" or 4".
4. Impact-resistant steel holding tank holds 5 cubic feet of material, a perfect amount for a wheelbarrow; no more, no less. Easy emptying into a wheelbarrow, trailer or skid loader.
5. Cartridge filtration for blower protection.
6. An optional "Leaf Barrel" is available that holds about 10 cubic feet for more storage, light fluffy products or products that tend to bridge in a cone.
7. Available options include vacuum hose and various "application-oriented" nozzles.

**Toll Free 1(800) 832-4010**

Specifications subject to change without notice so that improvements are quickly made.

Vector Technologies Ltd./ Vacuum Engineering Division/ 6820 N. 43<sup>rd</sup> Street/ Milwaukee WI USA 53209

Toll Free: 1 800 832 4010/ Tel: 1 414 247 7100/ Fax: 1 414 247 7110  
Web Site: [www.vector-vacuums.com/](http://www.vector-vacuums.com/) E-Mail: [sales@vector-vacuums.com](mailto:sales@vector-vacuums.com)